

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	((("6255707") or ("6807202"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/12/10 10:57
L2	32	372/38.04.ccls. and 372/38.02.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/10 10:59
L3	189	laser near3 diode and driv\$3 and ((voltage near3 drop) with (detect\$3 or monitor\$3 or sens\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/10 11:05
L4	4	3 and impedance near3 filter\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/10 11:01
L5	66	((laser near3 diode) same ((voltage near3 drop) with (detect\$3 or monitor\$3 or sens\$3))) and driv\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/10 11:06
L6	36	((laser near3 diode) with ((voltage near3 drop) with (detect\$3 or monitor\$3 or sens\$3))) and driv\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/10 11:06
L7	13	((laser near3 diode) with ((voltage near3 drop) with (detect\$3 or monitor\$3 or sens\$3))) and driv\$3 and filter\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/10 11:08
L8	18	((laser near3 diode) with ((voltage near3 drop) with (detect\$3 or monitor\$3 or sens\$3))) and driv\$3 and (filter\$1 or sampl\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/10 11:12
L9	0	((laser near3 diode) with ((voltage near3 drop) with (detect\$3 or monitor\$3 or sens\$3))) and 372/38.01.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/10 11:13
L10	16	((laser near3 diode) with ((voltage near3 drop) with (detect\$3 or monitor\$3 or sens\$3))) and "372"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/10 11:33

L11	30	((laser near3 diode) same ((voltage near3 drop) with (detect\$3 or monitor\$3 or sens\$3))) and "372"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/10 11:43
L12	14	11 not 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/10 11:33
L13	60	((laser near3 diode) and ((voltage near3 drop) with (detect\$3 or monitor\$3 or sens\$3))) and "372"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/10 13:50
L14	44	13 not 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/10 11:43
L15	30	14 not 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/10 11:43
L16	8	("4718068" "4745609" "4876442" "4945541" "5025447" "5123023" "5237858" "5268914").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/10 13:39
L17	301	((current near3 generator) with (power near3 supply) with driv\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/10 13:43
L18	4	17 and "372"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/10 13:43
L19	17	((laser near3 diode) same ((voltage near3 drop) with (detect\$3 or monitor\$3 or sens\$3))) and power near3 supply and voltage near3 supply	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/10 14:03
L20	13	((laser near3 diode) with ((voltage near3 drop) with (detect\$3 or monitor\$3 or sens\$3))) and power near3 supply and control\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/10 14:15
L21	339	current near3 generator near3 driv\$3 near3 power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/10 14:16

L22	6975	current near3 generator\$1.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/10 14:16
L23	6352	current near3 generator.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/10 14:17
L24	39	21 and 23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/10 14:17
L25	0	23 and "372"/\$9.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/10 14:18
L26	0	23 and "372"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/10 14:18
L27	33	23 and laser near3 diode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/10 14:18